



NORO®










- SE** Denna produkt innehåller en ljuskälla med energieffektivitetsklass F
DK Dette produkt indeholder en lyskilde i energieffektivitetsklasse F
NO Dette produktet inneholder en lyskilde med energieffektivitetsklasse F
FI Tämä tuote sisältää valonlähteen, jonka energiatehokkuusluokka on F
ENG This product contains a light source of energy efficiency class F

ALVA

Lot No.

- Ⓢ🇪 LOT-nummer
- Ⓢ🇫🇮 LOT-numeron
- Ⓢ🇳🇴 LOT-nummeret
- Ⓢ🇩🇰 LOT nummer
- Ⓢ🇺🇰 LOT number


NORO®




- Ⓢ🇪 LOT nummer används för spårning av information av produktens tillverkningshistoria. Informationen är mycket viktig i vår strävan av att göra Noro's produkter bättre.
- Ⓢ🇫🇮 LOT numeroa käytetään jäljittämään tuotteen valmistushistoria. Tieto on erittäin tärkeä jotta voimme parantaa Noro tuotteiden laatua.
- Ⓢ🇳🇴 LOT nummer brukes for sporing av informasjon av produktet produksjonshistorie. Informasjonen er viktig for at vi skal kunne gjøre Noro's produkter bedre.
- Ⓢ🇩🇰 LOT nummer bruges til at spore oplysninger om produktets fremstilling historie. Oplysningerne er meget vigtig i vores bestræbelser på at gøre Noro's produkter bedre.
- Ⓢ🇺🇰 LOT number is used to track the details of the product's manufacturing history. The information is very important in our quest to make the Noro's products better.

NORO Alva 550/600/750/900(mm)


- ⓈE Installationsmått för el
- ⓈI Sähkön asennusmitat
- ⓈO Installasjonsmål for el
- ⓈK Installationsmål for el
- ⓈB Measurements for installation of electricity



- | | |
|-----------------------|---|
| ⓈE ★ =Uttag för el | ■ =Alternativt område för framdraging av el |
| ⓈI ★ =Sähköliitäntä | ■ =Vaihtoehtoinen alue sähkönsyötölle |
| ⓈO ★ =Strømuttak | ■ =Alternativt område ved fremdraging av elektrisitet |
| ⓈK ★ =Udtag til el | ■ =Alternativt område for fremtagning af el |
| ⓈB ★ =Electric outlet | ■ =Optional area for electrical wiring |




550/600 mm model	A	B	C	D
	685mm	198mm	554/604mm	120mm



750/900 mm model	A	B	C	D
	685mm	198mm	754/904mm	120mm

- 1) The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced
- 2) If the flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard
- 3) The Minimum distance from lighted objects is 0,3 m.
- 4) For indoor use only.

A x 8



B x 4



C x 4




**FOR CIRCUIT
BREAKER SOCKET**

G x 1





D x 1



E x 1




F x 2 / Fx3




ALVA 550/600


Art. nr.	Qty	Meas. (mm)
①	2	660 X 120 X 18
②	1	514/564 X 80 X 15
③	1	514/564 X 120 X 15
④	1	554/604 X 198 X 25
⑤	1	514/564 X 120 X 18
⑥	1	524/574 X 652 X 5
⑦	2	254/279 X 633 X 6
⑧	1	62 X 62 X 12
⑨	2	512/562 X 76 X 6




ALVA 750/900		
Art. nr.	Qty	Meas. (mm)
①	2	660 X 120 X 18
②	1	714/864 X 80 X 15
③	1	714/864 X 120 X 15
④	1	754/904 X 198 X 25
⑤	1	714/864 X 120 X 18
⑥	1	724/874 X 652 X 5
⑦	3	235/285 X 633 X 6
⑧	1	62 X 62 X 12
⑨	2	712/862 X 76 X 6



1A1








1A2







1A


1 B1



1 B2









1B




2

Ex1



3



4

ALVA

035 166430 **SE**
info@noro.se

020 7435740 **FI**
info@norokylpyhuone.fi

216 28860 **NO**
info@noro.se

702 52822 **DK**
info@noro.dk